

項 目	年 度	小 1	小 2	小 3	小 4	小 5	小 6	中 1	中 2	中 3	高 1	高 2	高 3
		6	7	8	9	1 0	1 1	1 2	1 3	1 4	1 5	1 6	1 7
う 歯総歯数	H3	1,386	3,619	5,867	7,583	10,333	12,014	14,169	16,877	19,841	27,351	30,656	34,868
	H4	1,105	3,758	5,568	7,879	9,730	12,753	15,256	18,920	23,218	27,819	30,775	34,976
	H5	1,139	3,059	5,729	7,551	9,415	11,906	14,397	17,810	21,447	29,803	32,356	35,236
	H6	795	2,482	4,332	6,044	7,655	9,369	10,344	14,498	15,248	24,072	23,763	26,387
	H7	779	2,046	3,777	5,282	6,929	8,833	11,895	14,826	17,051	22,384	25,006	26,275
	H8	547	1,738	3,209	4,731	6,389	7,967	11,007	13,206	16,188	17,488	20,764	22,614
	H9	500	1,212	2,699	4,028	5,331	6,984	4,741	6,148	7,457	12,674	13,654	16,000
	H10	382	1,039	2,120	3,213	4,470	5,757	4,461	5,032	6,486	11,986	13,853	14,395
	H11	295	1,189	1,774	2,780	4,143	5,176	5,056	6,851	7,705	11,082	12,806	14,028
	H12	316	996	1,808	2,601	3,647	4,908	3,663	5,432	7,086	10,958	11,991	13,956
	H13	314	795	1,701	2,281	2,928	4,157	3,939	4,825	6,317	9,203	10,522	12,134
	H14	221	794	1,344	2,076	2,866	3,577	3,454	4,334	5,348	6,899	8,368	9,905
	H15	218	705	1,557	2,165	3,026	4,546	5,051	6,468	8,293	5,847	6,433	7,695
	H16	195	541	1,227	2,109	2,534	3,936	5,203	5,895	7,024	4,519	5,270	5,479
	H17	273	644	956	1,968	2,864	3,750	4,710	5,721	6,519	3,376	4,030	4,457
	H18	314	718	1,120	1,948	2,508	3,794	4,263	5,525	6,891	3,827	4,319	5,563
	H19	257	745	1,209	1,733	2,684	3,399	4,026	5,085	6,802	3,879	4,164	4,957
	H20	166	502	1,059	1,556	2,019	3,037	3,316	4,386	4,919	3,289	3,775	4,007
	H21	208	569	910	1,472	1,995	2,922	3,231	3,737	4,869	2,813	3,313	4,037
	H22	184	620	927	1,542	1,850	2,999	2,741	3,791	4,485	3,530	4,129	5,316
	H23	163	373	885	1,117	1,630	2,602	3,060	3,545	4,571	3,540	4,148	4,778
	H24	136	524	775	1,226	1,458	2,350	2,601	3,443	3,577	3,648	3,986	4,466
	H25	176	412	858	1,057	1,432	1,976	2,394	2,977	3,704	3,699	4,308	4,806
	H26	103	385	551	960	1,309	1,719	1,959	2,950	3,741	3,170	4,213	4,876
	H27	135	234	469	829	1,371	1,561	1,923	2,514	3,255	3,289	3,849	4,698
	H28	100	312	572	761	977	1,402	2,325	2,483	2,859	2,500	3,255	3,703
	H29	142	197	498	535	889	1,014	1,964	1,555	1,821	3,561	4,002	4,974
	H30	95	215	367	596	761	902	1,466	1,466	1,846	3,583	4,277	4,670
	R1	109	214	433	481	696	814	1,625	1,304	1,824	3,414	3,998	4,225
	R2	96	176	353	483	525	792	1,472	1,461	1,599	2,097	2,689	3,503
	R3	102	244	372	517	501	687	1,440	1,241	1,554	2,298	3,082	3,572
	R4	33	116	160	323	603	698	1,309	1,124	1,295	2,007	2,382	3,226
	R5	48	112	188	262	509	671	1,264	1,153	1,504	2,177	2,471	2,661
健全歯数	H3	12,714	25,463	32,469	42,038	56,149	68,513	64,488	64,636	62,783	76,849	73,919	70,101
	H4	12,709	24,565	33,591	41,504	53,423	66,425	72,640	77,834	77,054	75,723	74,793	72,091
	H5	12,727	23,448	31,441	41,319	51,831	62,419	75,102	77,163	81,337	79,454	73,787	75,645
	H6	10,362	20,137	26,210	34,433	45,314	52,153	52,328	54,916	54,561	64,382	57,795	55,619
	H7	10,985	20,684	28,184	36,328	46,012	57,166	63,556	63,268	67,386	77,673	76,110	70,983
	H8	9,632	19,605	25,743	34,230	44,452	53,055	62,207	63,621	61,789	59,603	56,826	55,562
	H9	8,910	16,909	22,607	29,476	37,941	46,348	29,335	30,375	29,720	42,152	40,028	39,461
	H10	9,124	16,842	22,205	28,688	37,861	45,405	29,042	29,589	30,081	45,428	40,901	38,993
	H11	9,628	18,819	23,847	29,744	39,677	48,474	36,965	37,419	37,742	46,448	42,057	39,230
	H12	9,207	17,767	23,439	28,572	35,764	46,537	32,966	35,121	33,965	51,860	50,755	45,073
	H13	9,365	17,089	22,778	29,454	34,982	42,677	37,865	41,099	41,482	47,311	45,377	44,863
	H14	7,929	16,531	20,488	25,659	33,684	39,606	35,243	35,763	38,288	44,163	41,269	39,301
	H15	10,378	19,599	28,267	32,334	42,890	50,310	55,877	60,748	62,954	39,205	36,923	33,944
	H16	10,992	19,951	25,695	34,755	41,624	51,145	56,743	56,483	60,043	33,496	30,487	29,107
	H17	10,366	21,458	27,177	32,827	44,873	51,284	60,727	61,925	60,663	28,025	26,273	25,023
	H18	11,499	21,776	29,126	34,506	43,610	56,269	60,481	65,385	64,413	32,200	30,327	29,787
	H19	10,844	21,678	28,181	35,273	42,572	51,135	62,293	61,009	65,036	38,800	34,833	34,554
	H20	10,533	21,080	28,649	34,745	44,228	52,423	57,917	65,243	62,353	35,670	32,975	30,753
	H21	10,849	20,327	27,569	34,850	43,625	53,368	59,159	59,917	65,040	32,048	32,259	30,427
	H22	10,624	21,130	27,281	34,882	46,493	54,137	63,597	63,373	63,061	46,470	43,535	45,018
	H23	10,427	20,613	27,258	32,864	44,517	55,618	61,079	65,042	63,201	47,080	44,420	42,429
	H24	10,116	20,323	26,762	33,329	42,355	53,279	62,296	63,652	65,550	46,026	44,877	42,496
	H25	10,672	20,152	25,917	33,099	42,216	51,470	59,592	64,491	63,662	48,437	44,700	43,952
	H26	10,537	20,332	25,978	31,847	41,586	50,806	58,001	62,033	64,032	49,503	48,212	45,899
	H27	10,508	20,731	26,812	32,153	40,206	50,717	56,629	60,060	62,494	56,741	51,686	51,311
	H28	10,365	20,250	26,769	32,848	40,744	48,636	56,358	58,418	60,712	44,544	45,353	42,095
	H29	7,719	15,623	22,043	27,146	35,284	38,055	54,292	37,072	37,027	54,168	52,757	54,827
	H30	7,630	16,434	21,732	26,949	34,978	39,635	54,900	35,755	37,566	52,588	51,395	50,632
	R1	7,471	15,746	22,039	26,212	34,686	38,499	55,517	36,056	36,370	52,337	50,694	49,540
	R2	9,046	16,832	23,240	28,700	35,641	41,614	55,413	38,128	35,477	45,323	45,585	45,603
	R3	7,212	16,369	21,367	26,931	35,351	38,701	54,393	36,763	38,289	50,335	49,215	49,119
	R4	7,659	14,844	20,779	26,589	34,839	38,466	53,771	38,569	36,995	51,055	48,403	47,719
	R5	7,483	15,522	19,779	26,314	34,463	39,950	54,353	35,538	36,314	51,677	48,371	46,498
被検歯数	H3	14,100	29,082	38,336	49,621	66,482	80,527	78,657	81,513	82,624	104,200	104,575	104,969
	H4	13,814	28,323	39,159	49,383	63,153	79,178	87,896	96,754	100,272	103,542	105,568	107,067
	H5	13,866	26,507	37,170	48,870	61,246	74,325	89,499	94,973	102,784	109,257	106,143	110,881
	H6	11,157	22,619	30,542	40,477	52,969	61,522	62,672	69,414	69,809	88,454	81,558	82,006
	H7	11,764	22,730	31,961	41,610	52,941	65,999	75,451	78,094	84,437	100,057	101,116	97,258
	H8	10,179	21,343	28,952	38,961	50,841	61,022	73,214	76,827	77,977	77,091	77,590	78,176
	H9	9,410	18,121	25,306	33,504	43,272	53,332	34,076	36,523	37,177	54,826	53,682	55,461
	H10	9,506	17,881	24,325	31,901	42,331	51,162	33,503	34,621	36,567	57,414	54,754	53,388
	H11	9,923	20,008	25,621	32,524	43,820	53,650	42,021	44,270	45,447	57,530	54,863	53,258
	H12	9,523	18,763	25,247	31,173	39,411	51,445	36,629	40,553	41,051	62,818	62,746	59,029
	H13	9,679	17,884	24,479	31,735	37,910	46,834	41,804	45,924	47,799	56,514	55,899	56,997
	H14	8,150	17,325	21,832	27,735	36,550	43,183	38,697	40,097	43,636	51,062	49,637	49,206
	H15	10,596	20,304	29,824	34,499	45,916	54,856	60,928	67,216	71,247	45,052	43,356	41,639
	H16	11,187	20,492	26,922	36,864	44,158	55,081	61,946	62,378	67,067	38,015	35,757	34,586
	H17	10,639	22,102	28,133	34,795	47,737	55,034	65,437	67,646	67,182	31,401	30,303	29,480
	H18	11,813	22,494	30,246	36,454	46,118	60,063	64,744	70,910	71,304	36,027	34,646	35,350
	H19	11,101	22,423	29,390	37,006	45,256	54,534	66,319	66,094	71,838	42,679	38,997	39,511
	H20	10,699	21,582	29,708	36,301	46,247	55,460	61,233	69,629	67,272	38,959	36,750	34,760
	H21	11,057	20,896	28,479	36,322	45,620	56,290	62,390	63,654	69,909	34,861	35,572	34,464
	H22	10,808	21,750	28,208	36,424	48,343	57,136	66,338	67,164	67,546	50,000	47,664	50,334
	H23	10,590	20,986	28,143	33,981	46,147	58,220	64,139	68,587	67,772	50,620	48,568	47,207
	H24	10,252											

項目	年度	小1	小2	小3	小4	小5	小6	中1	中2	中3	高1	高2	高3
		6	7	8	9	10	11	12	13	14	15	16	17
罹患者率	H3	32.11	51.83	69.72	78.45	85.81	86.22	86.31	85.64	85.96	94.74	97.16	97.45
	H4	25.36	52.29	64.25	79.28	84.22	87.69	90.61	91.45	93.86	95.42	95.95	97.25
	H5	27.25	48.93	68.63	76.09	83.11	85.70	89.81	91.92	91.95	92.94	91.02	94.25
	H6	22.07	45.09	61.39	72.33	76.53	82.57	88.81	90.52	92.25	93.00	94.73	97.18
	H7	20.60	39.22	59.02	68.50	77.28	80.70	88.22	91.10	91.29	92.58	93.94	94.62
	H8	16.37	35.76	53.25	66.30	75.39	81.36	87.25	89.92	91.17	93.00	95.40	95.61
	H9	16.41	30.20	52.60	66.70	74.59	82.10	84.80	88.77	91.82	92.27	93.09	95.26
	H10	16.43	26.10	44.73	57.65	67.44	73.70	84.80	84.00	91.08	91.75	93.71	94.14
	H11	10.46	25.65	37.91	49.55	59.47	65.78	75.60	86.53	86.02	87.41	91.91	92.85
	H12	9.88	25.70	39.18	48.60	59.20	64.47	70.45	79.63	87.13	84.31	85.07	90.12
	H13	9.93	21.88	37.67	45.90	53.62	62.49	66.10	69.86	75.62	82.77	88.14	89.47
	H14	11.26	23.54	35.20	47.58	55.65	61.63	63.01	66.89	74.83	79.88	84.20	88.47
	H15	6.32	17.00	29.82	39.62	46.84	59.66	61.05	66.42	73.39	77.20	80.53	85.63
	H16	5.36	14.22	24.80	36.15	42.92	54.20	61.62	63.93	67.10	70.98	79.58	82.14
	H17	6.28	14.40	22.00	35.79	43.18	52.06	56.87	63.04	65.65	66.20	74.65	79.56
	H18	7.22	15.15	23.26	34.47	41.47	48.32	53.27	57.23	64.04	65.07	69.60	75.85
	H19	6.32	15.83	23.91	31.43	42.64	47.54	50.02	56.65	62.48	58.50	62.98	64.11
	H20	4.64	12.16	21.51	29.21	34.96	44.64	46.28	50.52	54.34	59.89	65.10	68.04
	H21	5.38	13.20	18.99	27.92	35.11	41.53	46.89	49.39	53.77	57.99	62.19	67.89
	H22	4.73	13.98	19.25	27.39	31.93	41.20	39.15	49.92	51.77	52.88	58.46	65.66
	H23	4.60	8.81	19.24	23.64	29.07	37.36	42.19	42.81	52.73	53.03	59.91	61.02
	H24	3.58	12.42	16.55	24.11	28.89	35.67	37.53	42.71	44.37	54.42	54.52	61.05
	H25	4.36	9.81	19.05	21.18	27.17	34.49	35.71	39.40	46.71	48.80	57.44	58.83
	H26	3.29	9.99	14.21	21.43	25.21	30.35	31.57	38.22	45.16	50.37	54.61	61.34
	H27	3.56	6.48	11.48	19.51	27.77	29.09	30.92	35.77	42.06	45.54	53.81	55.13
	H28	2.61	8.01	13.62	17.24	21.26	28.39	36.22	35.72	39.54	38.74	45.76	49.85
	H29	3.84	5.42	11.52	12.78	18.58	22.13	30.09	32.27	32.06	45.31	49.65	54.14
	H30	4.17	7.61	11.03	16.27	18.99	22.76	29.63	36.57	41.67	44.89	48.77	53.26
	R1	4.43	8.17	12.52	14.18	18.29	21.55	26.51	31.18	37.82	41.29	45.71	46.70
	R2	3.81	5.70	10.18	12.65	14.07	19.30	27.59	31.97	35.33	39.69	43.43	50.00
R3	3.89	6.55	10.71	15.15	14.26	19.24	26.88	31.29	34.85	37.00	43.77	47.34	
R4	1.78	4.98	5.95	9.51	14.78	18.54	24.00	28.64	32.75	38.51	40.47	47.30	
R5	2.33	4.48	7.21	8.20	13.84	17.81	22.59	26.80	31.35	37.01	38.64	41.28	
健全者率	H3	67.89	48.17	30.28	21.55	14.19	13.78	13.69	14.36	14.04	5.26	2.84	2.55
	H4	74.64	47.71	35.75	20.72	15.78	12.31	9.39	8.55	6.14	4.58	4.05	2.75
	H5	72.75	51.07	31.37	23.91	16.89	14.30	10.19	8.08	8.05	7.06	8.98	5.75
	H6	77.93	54.91	38.61	27.67	23.47	17.43	11.19	9.48	7.75	7.00	5.27	2.82
	H7	79.40	60.78	40.98	31.50	22.72	19.30	11.78	8.90	8.71	7.42	6.06	5.38
	H8	83.63	64.24	46.75	33.70	24.61	18.64	12.75	10.08	8.83	7.00	4.60	4.39
	H9	83.59	69.80	47.40	33.30	25.41	17.90	15.20	11.23	8.18	7.73	6.91	4.74
	H10	83.57	73.90	55.27	42.35	32.56	26.30	15.20	16.00	8.92	8.25	6.29	5.86
	H11	89.54	74.35	62.09	50.45	40.53	34.22	24.40	13.47	13.98	12.59	8.09	7.15
	H12	90.12	74.30	60.82	51.40	40.80	35.53	29.55	20.37	12.87	15.69	14.93	9.88
	H13	90.07	78.13	62.33	54.10	46.38	37.51	33.90	30.14	24.38	17.23	11.86	10.53
	H14	88.74	76.46	64.80	52.42	44.35	38.37	36.99	33.11	25.17	20.12	15.80	11.53
	H15	93.68	83.00	70.18	60.38	53.16	40.34	38.95	33.58	26.61	22.80	19.47	14.37
	H16	94.64	85.78	75.20	63.85	57.08	45.80	38.38	36.07	32.90	29.02	20.42	17.86
	H17	93.72	85.60	78.00	64.21	56.82	47.94	43.13	36.96	34.35	33.80	25.35	20.44
	H18	92.78	84.85	76.74	65.53	58.53	51.68	46.73	42.77	35.96	34.93	30.40	24.15
	H19	93.68	84.17	76.09	68.57	57.36	52.46	49.98	43.35	37.52	41.50	37.02	35.89
	H20	95.36	87.84	78.49	70.79	65.04	55.36	53.72	49.48	45.66	40.11	34.90	31.96
	H21	94.62	86.80	81.01	72.08	64.89	58.47	53.11	50.61	46.23	42.01	37.81	32.11
	H22	95.27	86.02	80.75	72.61	68.07	58.80	60.85	50.08	48.23	47.12	41.54	34.34
	H23	95.40	91.19	80.76	76.36	70.93	62.64	57.81	57.19	47.27	46.97	40.09	38.98
	H24	96.42	87.58	83.45	75.89	71.11	64.33	62.47	57.29	55.63	45.58	45.48	38.95
	H25	95.64	90.19	80.95	78.82	72.83	65.51	64.29	60.60	53.29	51.20	42.56	41.17
	H26	96.71	90.01	85.79	78.57	74.79	69.65	68.43	61.78	54.84	49.63	45.39	38.66
	H27	96.44	93.52	88.52	80.49	72.23	70.91	69.08	64.23	57.94	54.46	46.19	44.87
	H28	97.39	91.99	86.38	82.76	78.74	71.61	63.78	64.28	60.46	61.26	54.24	50.15
	H29	96.16	94.58	88.48	87.22	81.42	77.87	69.91	67.73	67.94	54.69	50.35	45.86
	H30	95.83	92.39	88.97	83.73	81.01	77.24	70.37	63.43	58.33	55.11	51.23	46.74
	R1	95.57	91.83	87.48	85.82	81.71	78.45	73.49	68.82	62.18	58.71	54.29	53.30
	R2	96.19	94.30	89.82	87.35	85.93	80.70	72.41	68.03	64.67	60.31	56.57	50.00
R3	96.11	93.45	89.29	84.85	85.74	80.76	73.12	68.71	65.15	63.00	56.23	52.66	
R4	98.22	95.02	94.05	90.49	85.22	81.46	76.00	71.36	67.25	61.49	59.53	52.70	
R5	97.67	95.52	92.79	91.80	86.16	82.19	77.41	73.20	68.65	62.99	61.36	58.72	
平均CO歯数	H20	0.10	0.16	0.20	0.35	0.39	0.54	0.39	0.48	0.57			
	H21	0.09	0.18	0.27	0.42	0.41	0.53	0.43	0.59	0.74	0.53	0.50	0.60
	H22	0.08	0.20	0.26	0.29	0.38	0.50	0.45	0.58	0.63	0.57	0.61	0.62
	H23	0.08	0.20	0.26	0.29	0.31	0.41	0.38	0.57	0.68	0.70	0.65	0.77
	H24	0.05	0.15	0.24	0.31	0.36	0.41	0.40	0.49	0.59	0.58	0.62	0.62
	H25	0.07	0.16	0.20	0.28	0.37	0.42	0.42	0.47	0.54	0.70	0.83	0.92
	H26	0.08	0.17	0.24	0.29	0.33	0.47	0.35	0.57	0.57	0.58	0.65	0.74
	H27	0.08	0.18	0.24	0.32	0.28	0.39	0.45	0.60	0.78	0.55	0.56	0.65
	H28	0.06	0.14	0.25	0.29	0.30	0.41	0.45	0.63	0.66	0.64	0.69	0.67
	H29	0.05	0.16	0.19	0.25	0.32	0.43	0.41	0.47	0.70	0.56	0.62	0.63
	H30	0.08	0.16	0.23	0.26	0.29	0.39	0.42	0.53	0.70	0.58	0.56	0.64
	R1	0.06	0.13	0.19	0.24	0.26	0.31	0.59	0.64	0.62	0.55	0.48	0.60
	R2	0.04	0.11	0.17	0.21	0.21	0.30	0.41	0.56	0.59	0.54	0.64	0.44
	R3	0.06	0.13	0.19	0.21	0.21	0.29	0.39	0.51	0.60	0.37	0.45	0.50
	R4	0.05	0.12	0.16	0.19	0.20	0.30	0.40	0.45	0.55	0.39	0.45	0.47
R5	0.05	0.11	0.14	0.14	0.17	0.23	0.42	0.42	0.61	0.39	0.35	0.37	

項目	年度	小1	小2	小3	小4	小5	小6	中1	中2	中3	高1	高2	高3
		6	7	8	9	10	11	12	13	14	15	16	17
平均う歯数	H3	0.54	1.13	1.84	2.35	3.02	3.46	4.59	5.57	6.59	7.35	8.20	9.47
	H4	0.43	1.23	1.73	2.44	3.00	3.72	4.42	5.19	6.31	7.46	8.14	9.15
	H5	0.44	1.06	1.86	2.34	2.93	3.69	4.24	5.22	5.99	7.54	8.45	8.84
	H6	0.38	1.01	1.73	2.30	2.78	3.47	4.22	5.70	5.97	7.83	8.19	9.17
	H7	0.38	0.87	1.51	2.06	2.64	3.16	4.10	5.22	5.71	6.41	7.15	7.85
	H8	0.29	0.76	1.35	1.90	2.52	3.05	3.91	4.70	5.83	6.31	7.46	7.94
	H9	0.30	0.60	1.28	1.81	2.37	2.99	3.50	4.40	5.40	6.28	6.98	7.90
	H10	0.22	0.52	1.03	1.50	2.03	2.57	3.42	3.95	4.94	5.78	6.97	7.47
	H11	0.16	0.55	0.83	1.26	1.80	2.22	3.05	4.17	4.68	5.28	6.40	7.22
	H12	0.18	0.48	0.86	1.26	1.72	2.17	2.55	3.60	4.75	4.81	5.28	6.53
	H13	0.17	0.40	0.83	1.08	1.43	1.99	2.41	2.84	3.62	4.54	5.27	5.95
	H14	0.14	0.41	0.72	1.10	1.49	1.85	2.26	2.91	3.37	3.77	4.71	5.60
	H15	0.10	0.31	0.62	0.92	1.23	1.89	2.13	2.61	3.20	3.62	4.15	5.19
	H16	0.08	0.23	0.54	0.84	1.07	1.61	2.14	2.53	2.88	3.32	4.12	4.45
	H17	0.11	0.26	0.40	0.83	1.12	1.54	1.83	2.28	2.68	2.98	3.71	4.24
	H18	0.12	0.29	0.44	0.78	1.02	1.44	1.68	2.09	2.64	2.96	3.48	4.40
	H19	0.11	0.29	0.49	0.69	1.09	1.41	1.55	2.07	2.61	2.54	2.99	3.52
	H20	0.07	0.21	0.42	0.63	0.82	1.23	1.37	1.69	2.02	2.35	2.86	3.23
	H21	0.09	0.25	0.38	0.59	0.81	1.17	1.31	1.58	1.92	2.25	2.60	3.28
	H22	0.08	0.26	0.39	0.62	0.71	1.18	1.06	1.52	1.83	1.97	2.42	2.96
	H23	0.07	0.16	0.38	0.47	0.66	1.01	1.21	1.39	1.86	1.95	2.38	2.84
	H24	0.06	0.23	0.33	0.52	0.61	0.95	1.02	1.38	1.43	2.04	2.28	2.66
	H25	0.08	0.18	0.38	0.45	0.61	0.83	0.98	1.19	1.51	1.98	2.45	2.76
	H26	0.04	0.17	0.24	0.43	0.56	0.74	0.83	1.22	1.52	1.68	2.24	2.69
	H27	0.06	0.10	0.20	0.37	0.61	0.68	0.83	1.08	1.36	1.53	1.94	2.35
	H28	0.04	0.14	0.25	0.33	0.43	0.63	1.01	1.10	1.24	1.48	1.86	2.26
	H29	0.09	0.11	0.26	0.28	0.46	0.58	0.89	1.08	1.29	1.71	1.99	2.33
	H30	0.06	0.12	0.20	0.31	0.40	0.51	0.66	1.06	1.29	1.78	2.14	2.34
	R1	0.07	0.12	0.23	0.26	0.36	0.47	0.72	0.94	1.31	1.70	2.04	2.19
	R2	0.06	0.10	0.18	0.25	0.28	0.43	0.67	0.99	1.18	1.25	1.58	1.96
	R3	0.07	0.14	0.20	0.28	0.27	0.40	0.65	0.88	1.07	1.22	1.66	1.90
	R4	0.02	0.07	0.09	0.18	0.32	0.40	0.60	0.78	0.95	1.06	1.32	1.78
R5	0.03	0.07	0.11	0.14	0.27	0.37	0.58	0.85	1.09	1.13	1.36	1.52	
う歯罹患率	H3	9.83	12.44	15.30	15.28	15.54	14.92	18.01	20.70	24.01	26.25	29.31	33.22
	H4	8.00	13.27	14.22	15.95	15.41	16.11	17.36	19.55	23.16	26.87	29.15	32.67
	H5	8.21	11.54	15.41	15.45	15.37	16.02	16.09	18.75	20.87	27.28	30.48	31.78
	H6	7.13	10.97	14.18	14.93	14.45	15.23	16.50	20.89	21.84	27.21	29.14	32.18
	H7	6.62	9.00	11.82	12.69	13.09	13.38	15.77	18.98	20.19	22.37	24.73	27.02
	H8	5.37	8.14	11.08	12.14	12.57	13.06	15.03	17.19	20.76	22.68	26.76	28.93
	H9	5.31	6.69	10.67	12.02	12.32	13.10	13.91	16.83	20.06	23.12	25.43	28.85
	H10	4.02	5.81	8.72	10.07	10.56	11.25	13.32	14.53	17.74	20.88	25.30	26.96
	H11	2.97	5.94	6.92	8.55	9.45	9.65	12.03	15.48	16.95	19.26	23.34	26.34
	H12	3.32	5.31	7.16	8.34	9.25	9.54	10.00	13.39	17.26	17.44	19.11	23.64
	H13	3.24	4.45	6.95	7.19	7.72	8.88	9.42	10.51	13.22	16.28	18.82	21.29
	H14	2.71	4.58	6.16	7.49	7.84	8.28	8.93	10.81	12.26	13.51	16.86	20.13
	H15	2.06	3.47	5.22	6.28	6.59	8.29	8.29	9.62	11.64	12.98	14.84	18.48
	H16	1.74	2.64	4.56	5.72	5.74	7.15	8.40	9.45	10.47	11.89	14.74	15.84
	H17	2.57	2.91	3.40	5.66	6.00	6.81	7.20	8.46	9.70	10.75	13.30	15.12
	H18	2.66	3.19	3.70	5.34	5.44	6.32	6.58	7.79	9.66	10.62	12.47	15.74
	H19	2.32	3.32	4.11	4.68	5.93	6.23	6.07	7.69	9.47	9.09	10.68	12.55
	H20	1.55	2.33	3.56	4.29	4.37	5.48	5.42	6.30	7.31	8.44	10.27	11.53
	H21	1.88	2.72	3.20	4.05	4.37	5.19	5.18	5.87	6.96	8.07	9.31	11.71
	H22	1.70	2.85	3.29	4.23	3.83	5.25	4.13	5.64	6.64	7.06	8.66	10.56
	H23	1.54	1.78	3.14	3.29	3.53	4.47	4.77	5.17	6.74	6.99	8.54	10.12
	H24	1.33	2.51	2.81	3.55	3.33	4.22	4.01	5.13	5.17	7.34	8.16	9.51
	H25	1.62	2.00	3.20	3.09	3.28	3.70	3.86	4.41	5.50	7.09	8.79	9.86
	H26	0.97	1.86	2.08	2.93	3.05	3.27	3.27	4.54	5.52	6.02	8.04	9.60
	H27	1.27	1.12	1.72	2.51	3.30	2.99	3.28	4.02	4.95	5.48	6.93	8.39
	H28	0.96	1.52	2.09	2.26	2.34	2.80	3.96	4.08	4.50	5.31	6.70	8.09
	H29	1.81	1.25	2.21	1.93	2.46	2.60	3.49	4.03	4.69	6.17	7.05	8.32
	H30	1.23	1.29	1.66	2.16	2.13	2.23	2.60	3.94	4.68	6.38	7.68	8.44
	R1	1.44	1.34	1.93	1.80	1.97	2.07	2.84	3.49	4.78	6.12	7.31	7.86
	R2	1.05	1.03	1.50	1.66	1.45	1.87	2.59	3.69	4.31	4.42	5.57	7.13
	R3	1.39	1.47	1.71	1.88	1.40	1.74	2.58	3.27	3.90	4.37	5.89	6.78
	R4	0.43	0.78	0.76	1.20	1.70	1.78	2.38	2.83	3.38	3.78	4.69	6.33
R5	0.64	0.72	0.94	0.99	1.46	1.65	2.27	3.14	3.98	4.04	4.86	5.41	
未処置歯率	H3	55.41	47.61	36.78	29.10	28.88	28.49	25.61	28.15	25.26	26.06	22.63	20.41
	H4	57.83	43.43	34.52	28.16	25.87	27.03	26.58	24.82	26.17	26.05	23.47	22.88
	H5	56.28	42.24	33.30	28.30	24.20	26.28	23.94	28.19	24.64	26.29	23.64	20.73
	H6	56.98	43.23	34.60	26.56	30.37	25.82	23.98	23.06	26.00	23.49	23.33	22.31
	H7	50.45	43.06	37.36	28.97	28.92	28.26	26.25	28.78	25.85	21.63	22.15	18.18
	H8	48.45	47.93	36.02	30.44	26.19	25.57	29.15	28.28	26.19	21.09	20.34	18.03
	H9	46.20	39.69	34.72	27.33	25.25	22.97	29.61	27.88	28.44	20.96	20.88	17.48
	H10	47.38	43.31	39.10	34.86	27.29	27.22	26.03	31.14	25.98	24.46	21.48	19.20
	H11	44.41	46.68	43.35	35.61	34.11	29.79	31.13	28.03	26.57	21.05	23.15	18.43
	H12	45.25	50.50	49.39	39.56	37.21	34.29	28.04	29.57	27.42	20.75	17.20	18.25
	H13	52.87	46.79	35.57	38.45	34.90	32.38	32.90	34.22	30.32	20.45	20.21	17.89
	H14	52.94	51.39	52.08	41.76	45.01	35.11	35.73	39.16	31.64	19.86	16.98	17.48
	H15	50.92	47.23	50.61	42.91	33.91	38.58	32.07	30.88	33.58	19.60	18.31	16.73
	H16	52.31	53.05	43.11	45.71	40.41	35.98	34.46	31.82	34.00	21.07	17.65	17.74
	H17	54.21	43.32	51.36	40.80	38.48	37.68	42.59	35.68	33.98	27.61	23.82	19.07
	H18	44.27	54.60	50.54	46.25	46.45	42.17	38.96	42.61	35.81	25.69	22.99	22.54
	H19	52.14	44.43	44.42	47.66	44.93	40.63	41.58	47.12	39.19	27.79	24.74	24.03
	H20	49.40	50.00	45.04	39.27	35.22	34.08	34.71	38.44	36.80	23.93	24.64	23.03
	H21	51.92	51.14	43.19	38.99	42.41	32.58	37.60	32.06	33.05	26.20	24.72	20.24
	H22	49.46	43.06	40.56	42.09	37.08	36.91	35.24	35.64	30.72	25.61	22.18	20.84
	H23	40.49	47.99	46.55	41.09	39.02	31.28	33.40	36.19	33.80	30.08	27.29	26.83
	H24	36.76	40.46	42.06	34.18	33.47	32.60	34.60	36.74	31.59	29.91	28.12	27.21
	H25	38.07	39.81	37.76	34.53	31.70	30.41	44.61	33.96	33.29	26.85	25.19	25.63
	H26	36.89	40.78	36.66	33.02	35.22	35.37	38.54	45.19	31.84	25.58	23.81	22.91
	H27	44.44	45.73	37.31	30.16	28.74	31.13	36.87	41.09	36.28	22.77	23.67	24.61
	H28	40.00	40.06	32.52	37.58	31.01	29.53	37.20	31.86	33.40	19.24	19.11	19.39
	H29	42.25	32.49	31.73	28.97	34.20	31.07	35.64	29.84	34.16	28.56	23.91	21.07
	H30	61.05	33.95	30.52	27.68	28.78	22.95	33.63	34.65	33.10	22.50	21.65	21.24
	R1	37.61	45.33	31.87	28.90	33.62	27.89	31.14	33.74	28.02	28.71	29.69	24.88
	R2	18.75	40.34	22.66	24.64	28.95	24.75	28.94	32.79	35.52	37.43	30.64	32.94
	R												

項目	年度	小1 6	小2 7	小3 8	小4 9	小5 10	小6 11	中1 12	中2 13	中3 14	高1 15	高2 16	高3 17
処置歯率	H3	44.59	52.31	63.22	70.84	70.85	71.32	74.11	71.43	74.35	72.52	75.85	78.31
	H4	42.17	56.47	65.39	71.79	74.00	72.78	72.75	74.67	73.21	72.66	75.24	75.88
	H5	43.72	57.76	66.63	71.67	75.71	73.53	75.60	71.27	74.88	72.26	75.15	77.99
	H6	43.02	56.77	65.33	73.31	69.46	74.11	75.53	76.47	73.03	75.38	75.39	76.56
	H7	49.55	56.94	62.59	70.79	70.93	71.53	72.63	70.73	73.44	77.14	76.68	80.42
	H8	51.55	52.01	63.91	69.39	73.58	74.09	70.60	70.95	73.15	77.69	78.50	80.99
	H9	53.80	60.23	65.21	72.52	74.60	76.69	70.03	71.73	70.73	77.88	77.66	81.31
	H10	52.62	56.40	60.90	65.05	72.42	72.40	73.80	68.48	73.51	74.40	77.62	79.32
	H11	55.59	53.24	56.60	64.39	65.87	70.09	68.26	71.38	72.55	78.10	75.61	80.91
	H12	54.75	49.50	50.61	60.40	62.54	65.48	71.72	69.83	71.97	77.92	81.51	80.73
	H13	47.13	53.21	64.43	61.25	65.03	67.55	66.26	64.99	68.36	78.43	77.96	81.09
	H14	46.61	48.49	47.92	57.95	54.54	64.61	63.32	59.99	67.69	79.11	81.93	81.42
	H15	48.17	52.34	49.20	56.81	65.90	61.17	67.23	68.15	65.53	79.24	80.32	81.26
	H16	47.69	46.95	56.64	54.15	59.27	63.64	64.71	67.04	65.16	77.36	80.83	80.36
	H17	45.79	56.37	48.33	58.94	61.31	62.13	56.65	63.52	64.92	70.32	74.49	79.13
	H18	55.73	45.26	49.46	53.70	53.35	57.62	60.40	56.49	63.11	72.33	75.16	75.71
	H19	47.86	55.44	55.33	52.22	54.81	58.78	57.97	52.33	59.81	70.07	73.66	73.67
	H20	50.60	49.80	54.86	60.41	64.49	65.49	64.99	61.17	61.82	74.67	73.77	75.04
	H21	48.08	48.68	55.71	60.94	57.14	67.21	62.24	67.33	66.44	71.21	73.38	77.51
	H22	50.54	56.94	59.44	57.78	62.81	62.79	64.61	63.97	68.67	72.41	75.32	76.69
	H23	59.51	52.01	52.99	58.91	60.61	68.64	66.37	63.33	65.83	66.81	70.20	69.95
	H24	61.03	59.54	57.42	65.74	66.53	67.23	64.67	62.39	67.49	67.74	69.54	70.91
	H25	61.93	60.19	62.24	65.28	68.30	69.38	54.97	65.40	65.58	70.59	73.28	72.26
	H26	63.11	57.92	63.34	66.88	64.63	64.17	59.98	54.34	67.17	72.21	74.77	75.78
	H27	55.56	54.27	62.47	69.36	71.19	68.67	61.99	58.35	63.16	75.37	74.31	73.41
	H28	60.00	59.29	66.78	62.42	68.78	70.47	61.76	67.14	65.90	79.44	79.78	78.48
	H29	57.75	67.51	68.27	71.03	65.80	68.93	63.65	69.65	64.58	69.25	74.01	77.40
	H30	38.95	66.05	69.48	72.32	71.22	76.83	66.30	65.08	66.31	75.86	76.46	77.56
	R1	62.39	54.21	68.13	71.10	66.38	71.87	68.86	66.18	71.77	69.86	69.13	73.63
	R2	81.25	59.66	77.34	75.36	71.05	75.25	70.99	67.21	64.42	60.18	67.31	65.23
	R3	76.47	86.07	77.42	73.89	74.05	80.93	67.15	62.29	67.89	67.36	67.20	66.99
	R4	66.67	56.90	75.00	78.95	75.79	83.95	73.26	66.81	66.25	66.62	65.70	66.18
	R5	70.83	74.11	70.21	71.76	70.73	77.20	70.33	73.81	65.16	62.66	66.69	70.01
喪失歯率	H3	0.00	0.08	0.00	0.05	0.27	0.19	0.29	0.42	0.39	1.42	1.52	1.28
	H4	0.00	0.11	0.09	0.05	0.13	0.19	0.67	0.51	0.62	1.29	1.28	1.24
	H5	0.00	0.00	0.07	0.03	0.10	0.19	0.46	0.54	0.48	1.45	1.21	1.28
	H6	0.00	0.00	0.07	0.13	0.17	0.07	0.48	0.48	0.97	1.13	1.29	1.13
	H7	0.00	0.00	0.05	0.25	0.14	0.22	1.13	0.49	0.71	1.22	1.17	1.40
	H8	0.00	0.06	0.06	0.17	0.23	0.34	0.25	0.77	0.66	1.22	1.16	0.98
	H9	0.00	0.08	0.07	0.15	0.15	0.34	0.36	0.39	0.83	1.17	1.46	1.21
	H10	0.00	0.29	0.00	0.09	0.29	0.38	0.18	0.38	0.51	1.14	0.90	1.48
	H11	0.00	0.08	0.06	0.00	0.02	0.12	0.61	0.60	0.88	0.85	1.23	0.66
	H12	0.00	0.00	0.00	0.04	0.25	0.22	0.25	0.61	0.61	1.33	1.29	1.02
	H13	0.00	0.00	0.00	0.31	0.07	0.07	0.84	0.79	1.33	1.12	1.83	1.02
	H14	0.45	0.13	0.00	0.29	0.45	0.28	0.96	0.85	0.67	1.03	1.09	1.10
	H15	0.92	0.43	0.19	0.28	0.20	0.24	0.69	0.97	0.89	1.16	1.37	2.01
	H16	0.00	0.00	0.24	0.14	0.32	0.38	0.83	1.14	0.84	1.57	1.52	1.90
	H17	0.00	0.31	0.31	0.25	0.21	0.19	0.76	0.80	1.10	2.07	1.69	1.79
	H18	0.00	0.14	0.00	0.05	0.20	0.21	0.63	0.90	1.07	1.99	1.85	1.74
	H19	0.00	0.13	0.25	0.12	0.26	0.59	0.45	0.55	1.00	2.14	1.61	2.30
	H20	0.00	0.20	0.09	0.32	0.30	0.43	0.30	0.39	1.38	1.40	1.59	1.92
	H21	0.00	0.18	1.10	0.07	0.45	0.21	0.15	0.62	0.51	2.60	1.90	2.25
	H22	0.00	0.00	0.00	0.13	0.11	0.30	0.15	0.40	0.60	1.98	2.49	2.46
	H23	0.00	0.00	0.45	0.00	0.37	0.08	0.23	0.48	0.37	3.11	2.51	3.22
	H24	2.21	0.00	0.52	0.08	0.00	0.17	0.73	0.87	0.92	2.36	2.33	1.88
	H25	0.00	0.00	0.00	0.19	0.00	0.20	0.42	0.64	1.13	2.57	1.53	2.10
	H26	0.00	1.30	0.00	0.10	0.15	0.47	1.48	0.47	0.99	2.21	1.42	1.31
	H27	0.00	0.00	0.21	0.48	0.07	0.19	1.14	0.56	0.55	1.85	2.03	1.98
	H28	0.00	0.64	0.70	0.00	0.20	0.00	1.03	1.01	0.70	1.32	1.11	2.13
	H29	0.00	0.00	0.00	0.00	0.00	0.00	0.71	0.51	1.26	2.19	2.07	1.53
	H30	0.00	0.00	0.00	0.00	0.00	0.22	0.07	0.27	0.60	1.65	1.89	1.20
	R1	0.00	0.47	0.00	0.00	0.00	0.25	0.00	0.08	0.22	1.44	1.18	1.49
	R2	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.06	2.38	2.05	1.83
	R3	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.06	2.26	3.21	3.11
	R4	0.00	0.00	0.00	0.00	0.00	0.14	0.38	0.18	0.46	2.94	2.90	3.16
	R5	0.00	0.00	0.00	0.00	0.00	0.15	0.40	0.26	0.26	4.78	2.51	2.78
平均生歯数	H3	5.47	9.11	12.02	15.36	19.45	23.17	25.46	26.90	27.42	27.99	27.98	28.50
	H4	5.36	9.28	12.15	15.27	19.50	23.10	25.48	26.52	27.26	27.75	27.92	28.02
	H5	5.41	9.19	12.10	15.17	19.05	23.01	26.36	27.82	28.72	27.65	27.72	27.82
	H6	5.34	9.18	12.23	15.43	19.21	22.77	25.59	27.30	27.33	28.78	28.09	28.50
	H7	5.69	9.70	12.78	16.22	20.14	23.59	26.00	27.48	28.30	28.67	28.91	29.07
	H8	5.46	9.35	12.22	15.68	20.09	23.35	26.01	27.36	28.10	27.80	27.87	27.45
	H9	5.68	8.96	11.96	15.02	19.26	22.84	25.15	26.13	26.92	27.18	27.46	27.37
	H10	5.39	8.90	11.76	14.84	19.20	22.81	25.71	27.15	27.87	27.70	27.56	27.69
	H11	5.21	9.23	12.01	14.76	18.99	22.98	25.38	26.98	27.63	27.43	27.40	27.41
	H12	5.44	9.01	12.01	15.04	18.59	22.73	25.53	26.91	27.51	27.60	27.63	27.64
	H13	5.31	9.01	11.98	15.05	18.55	22.46	25.54	27.03	27.36	27.89	27.98	27.93
	H14	5.15	8.96	11.75	14.73	18.96	22.36	25.29	26.93	27.53	27.92	27.92	27.80
	H15	4.65	8.94	11.87	14.65	18.70	22.79	25.74	27.16	27.48	27.91	27.95	28.10
	H16	4.76	8.86	11.82	14.74	18.66	22.55	25.43	26.78	27.48	27.93	27.98	28.07
	H17	4.43	8.97	11.81	14.72	18.72	22.63	25.45	26.97	27.57	27.71	27.93	28.02
	H18	4.66	8.94	11.95	14.66	18.82	22.73	25.47	26.79	27.36	27.84	27.94	27.99
	H19	4.62	8.87	11.89	14.78	18.40	22.56	25.58	26.90	27.59	27.89	27.97	28.02
	H20	4.68	8.96	11.81	14.68	18.67	22.53	25.32	26.87	27.57	27.81	27.88	28.05
	H21	4.83	9.01	11.86	14.63	18.58	22.61	25.35	26.87	27.60	27.84	27.97	28.02
	H22	4.78	9.24	11.83	14.67	18.64	22.50	25.56	26.91	27.51	27.92	27.89	28.06
	H23	4.78	9.02	11.93	14.27	18.58	22.50	25.41	26.96	27.57	27.87	27.90	28.05
	H24	4.59	9.15	11.81	14.77	18.42	22.52	25.40	26.86	27.58	27.81	27.99	27.97
	H25	4.69	9.01	11.84	14.55	18.73	22.34	25.41	26.88	27.55	27.90	27.92	28.04
	H26	4.61	8.92	11.78	14.59	18.51	22.68	25.34	26.91	27.57	27.87	27.93	27.96
	H27	4.63	9.06	11.77	14.63	18.59	22.63	25.42	26.90	27.54	27.87	28.01	28.02
	H28	4.55	8.90	11.78	14.59	18.48	22.48	25.39	26.96	27.59	27.87	27.84	28.01
	H29	4.95	8.93	11.65	14.74	18.57	22.52	25.46	26.81	27.55	27.74	28.15	27.98
	H30	5.20	9.45	11.78	14.36	18.59	22.72	25.46	26.80	27.46	27.89	27.88	27.76
	R1	5.01	8.93	11.92	14.51	18.38	22.59	25.21	26.84	27.36	27.83	27.90</	

学校定期健康診断における永久歯の状況調査経年データ (H3~R5)

佐世保市歯科医師会

項目	年度	小1 6	小2 7	小3 8	小4 9	小5 10	小6 11	中1 12	中2 13	中3 14	高1 15	高2 16	高3 17
平均健全歯数	H3	4.93	7.97	10.18	13.01	16.43	19.72	20.87	21.33	20.84	20.64	19.78	19.03
	H4	4.94	8.05	10.43	12.83	16.49	19.38	21.06	21.34	20.94	20.30	19.78	18.87
	H5	4.96	8.13	10.23	12.83	16.12	19.32	22.12	22.60	22.73	20.11	19.27	18.98
	H6	4.96	8.17	10.50	13.12	16.44	19.30	21.37	21.59	21.36	20.95	19.91	19.33
	H7	5.31	8.83	11.27	14.16	17.51	20.43	21.90	22.26	22.58	22.26	21.76	21.21
	H8	5.17	8.59	10.86	13.78	17.56	20.30	22.10	22.66	22.27	21.49	20.41	19.51
	H9	5.37	8.36	10.68	13.21	16.89	19.85	21.65	21.73	21.52	20.90	20.47	19.48
	H10	5.17	8.39	10.74	13.35	17.17	20.24	22.29	23.21	22.93	21.91	20.58	20.22
	H11	5.06	8.68	11.17	13.50	17.20	20.76	22.32	22.80	22.94	22.15	21.01	20.19
	H12	5.26	8.53	11.15	13.79	16.87	20.56	22.97	23.31	22.76	22.79	22.35	21.10
	H13	5.14	8.61	11.14	13.97	17.11	20.47	23.13	24.19	23.74	23.35	22.71	21.98
	H14	5.02	8.55	11.03	13.63	17.47	20.51	23.03	24.02	24.16	24.15	23.21	22.20
	H15	4.55	8.63	11.25	13.73	17.47	20.90	23.61	24.54	24.28	24.29	23.81	22.90
	H16	4.68	8.62	11.28	13.90	17.59	20.94	23.29	24.25	24.60	24.61	23.86	23.63
	H17	4.31	8.71	11.41	13.89	17.60	21.09	23.62	24.69	24.89	24.74	24.21	23.79
	H18	4.54	8.66	11.50	13.88	17.80	21.29	23.79	24.70	24.72	24.88	24.46	23.58
	H19	4.51	8.58	11.40	14.09	17.31	21.16	24.02	24.83	24.98	25.36	24.99	24.51
	H20	4.61	8.75	11.39	14.06	17.86	21.29	23.95	25.18	25.55	25.46	25.02	24.82
	H21	4.74	8.77	11.48	14.04	17.77	21.43	24.04	25.29	25.68	25.60	25.36	24.74
	H22	4.69	8.98	11.44	14.05	17.93	21.32	24.51	25.39	25.69	25.95	25.47	25.09
	H23	4.71	8.86	11.55	13.80	17.92	21.49	24.20	25.57	25.71	25.93	25.51	25.21
	H24	4.53	8.92	11.48	14.25	17.81	21.57	24.38	25.48	26.16	25.77	25.70	25.31
	H25	4.61	8.83	11.46	14.10	18.12	21.52	24.43	25.69	26.04	25.92	25.47	25.27
	H26	4.56	8.76	11.54	14.16	17.95	21.94	24.51	25.69	26.05	26.19	25.69	25.27
	H27	4.57	8.96	11.57	14.26	17.98	21.96	24.59	25.82	26.18	26.34	26.06	25.67
	H28	4.51	8.77	11.54	14.26	18.04	21.85	24.39	25.86	26.35	26.39	25.98	25.75
	H29	4.86	8.82	11.39	14.45	18.11	21.93	24.57	25.73	26.26	26.03	26.17	25.66
	H30	5.13	9.33	11.58	14.05	18.20	22.22	24.80	25.74	26.18	26.11	25.74	25.42
	R1	4.94	8.81	11.69	14.25	18.02	22.13	24.49	25.90	26.05	26.13	25.86	25.74
	R2	5.65	9.23	11.89	15.00	18.85	22.49	25.06	25.94	26.28	27.09	26.75	25.48
R3	5.20	9.16	11.73	14.42	18.80	22.42	24.61	25.96	26.48	26.65	26.43	26.15	
R4	5.24	9.01	11.77	14.44	18.52	22.29	24.72	26.88	27.10	26.90	26.83	26.28	
R5	5.28	9.14	11.69	14.47	18.42	22.23	25.06	26.09	26.35	26.75	26.55	26.51	
平均D歯数	H3	0.30	0.54	0.68	0.68	0.87	0.99	1.17	1.57	1.66	1.91	1.86	1.93
	H4	0.25	0.53	0.60	0.69	0.78	1.01	1.18	1.29	1.65	1.94	1.91	2.09
	H5	0.25	0.45	0.62	0.66	0.71	0.97	1.02	1.47	1.48	1.98	2.00	1.83
	H6	0.22	0.44	0.60	0.61	0.84	0.90	1.01	1.31	1.55	1.84	1.91	2.05
	H7	0.19	0.38	0.56	0.60	0.76	0.89	1.08	1.50	1.48	1.39	1.58	1.43
	H8	0.14	0.37	0.49	0.58	0.66	0.78	1.14	1.33	1.53	1.33	1.52	1.43
	H9	0.14	0.24	0.44	0.49	0.60	0.69	1.04	1.23	1.54	1.32	1.46	1.38
	H10	0.10	0.22	0.40	0.52	0.55	0.70	0.89	1.23	1.28	1.41	1.50	1.43
	H11	0.07	0.26	0.36	0.45	0.61	0.66	0.95	1.17	1.24	1.11	1.48	1.33
	H12	0.08	0.24	0.42	0.50	0.64	0.74	0.72	1.07	1.30	1.00	0.91	1.19
	H13	0.09	0.19	0.30	0.42	0.50	0.65	0.79	0.97	1.10	0.93	1.06	1.06
	H14	0.07	0.21	0.38	0.46	0.67	0.65	0.81	1.14	1.07	0.75	0.80	0.98
	H15	0.05	0.15	0.31	0.39	0.42	0.73	0.68	0.81	1.07	0.71	0.76	0.87
	H16	0.04	0.12	0.23	0.39	0.43	0.58	0.74	0.81	0.98	0.70	0.73	0.79
	H17	0.06	0.11	0.21	0.34	0.43	0.58	0.78	0.81	0.91	0.82	0.88	0.81
	H18	0.05	0.16	0.22	0.36	0.48	0.61	0.65	0.89	0.95	0.76	0.80	0.99
	H19	0.06	0.13	0.22	0.33	0.49	0.57	0.65	0.98	1.02	0.70	0.74	0.84
	H20	0.04	0.10	0.19	0.25	0.29	0.42	0.48	0.65	0.74	0.56	0.71	0.74
	H21	0.05	0.13	0.16	0.23	0.34	0.38	0.49	0.51	0.64	0.59	0.64	0.66
	H22	0.04	0.11	0.16	0.26	0.26	0.44	0.37	0.54	0.56	0.50	0.54	0.62
	H23	0.03	0.08	0.17	0.19	0.26	0.31	0.40	0.50	0.63	0.59	0.65	0.76
	H24	0.02	0.09	0.14	0.18	0.21	0.31	0.35	0.51	0.45	0.61	0.64	0.72
	H25	0.03	0.07	0.14	0.16	0.19	0.25	0.44	0.40	0.50	0.53	0.62	0.71
	H26	0.02	0.07	0.09	0.14	0.20	0.26	0.32	0.55	0.48	0.43	0.53	0.62
	H27	0.03	0.05	0.08	0.11	0.18	0.21	0.31	0.44	0.49	0.35	0.46	0.58
	H28	0.02	0.05	0.08	0.12	0.13	0.19	0.37	0.35	0.41	0.28	0.36	0.44
	H29	0.04	0.04	0.08	0.08	0.16	0.18	0.32	0.32	0.44	0.49	0.47	0.49
	H30	0.04	0.04	0.06	0.09	0.11	0.12	0.22	0.37	0.43	0.40	0.46	0.50
	R1	0.03	0.05	0.07	0.08	0.12	0.13	0.22	0.32	0.37	0.49	0.61	0.55
	R2	0.01	0.04	0.04	0.06	0.08	0.11	0.19	0.33	0.42	0.47	0.48	0.64
R3	0.02	0.02	0.05	0.07	0.07	0.08	0.21	0.33	0.34	0.37	0.49	0.57	
R4	0.01	0.03	0.02	0.04	0.08	0.06	0.16	0.26	0.32	0.32	0.41	0.54	
R5	0.01	0.02	0.03	0.04	0.08	0.08	0.17	0.22	0.38	0.37	0.42	0.41	
平均F歯数	H3	0.24	0.59	1.16	1.66	2.14	2.47	3.40	3.98	4.90	5.33	6.22	7.41
	H4	0.18	0.70	1.13	1.75	2.22	2.71	3.22	3.87	4.62	5.42	6.12	6.95
	H5	0.19	0.61	1.24	1.68	2.22	2.71	3.21	3.72	4.49	5.45	6.35	6.90
	H6	0.16	0.57	1.13	1.69	1.93	2.57	3.19	4.36	4.36	5.90	6.17	7.02
	H7	0.19	0.50	0.95	1.46	1.87	2.26	2.98	3.69	4.20	4.95	5.48	6.32
	H8	0.15	0.40	0.87	1.32	1.86	2.26	2.76	3.34	4.27	4.90	5.85	6.43
	H9	0.16	0.36	0.83	1.31	1.77	2.29	2.45	3.15	3.82	4.89	5.42	6.42
	H10	0.11	0.29	0.62	0.97	1.47	1.86	2.53	2.70	3.63	4.30	5.41	5.92
	H11	0.09	0.29	0.47	0.81	1.18	1.55	2.08	2.98	3.40	4.13	4.84	5.84
	H12	0.10	0.24	0.44	0.76	1.08	1.42	1.83	2.52	3.42	3.75	4.30	5.27
	H13	0.08	0.21	0.54	0.66	0.93	1.35	1.59	1.85	2.47	3.56	4.11	4.82
	H14	0.07	0.20	0.35	0.64	0.81	1.20	1.43	1.75	2.28	2.98	3.86	4.56
	H15	0.05	0.16	0.30	0.52	0.81	1.16	1.43	1.78	2.10	2.87	3.33	4.22
	H16	0.04	0.11	0.31	0.46	0.63	1.03	1.38	1.70	1.88	2.57	3.33	3.57
	H17	0.05	0.15	0.19	0.49	0.69	0.96	1.04	1.45	1.74	2.10	2.77	3.35
	H18	0.07	0.13	0.22	0.42	0.55	0.83	1.01	1.18	1.67	2.14	2.62	3.33
	H19	0.05	0.16	0.27	0.36	0.60	0.83	0.90	1.08	1.56	1.78	2.20	2.59
	H20	0.04	0.10	0.23	0.38	0.53	0.81	0.89	1.04	1.25	1.75	2.11	2.43
	H21	0.04	0.12	0.21	0.36	0.46	0.79	0.82	1.06	1.28	1.60	1.91	2.54
	H22	0.04	0.15	0.23	0.36	0.45	0.74	0.68	0.97	1.25	1.43	1.82	2.27
	H23	0.04	0.08	0.20	0.28	0.40	0.69	0.80	0.88	1.22	1.30	1.67	1.99

項目	年度	小1	小2	小3	小4	小5	小6	中1	中2	中3	高1	高2	高3
		6	7	8	9	10	11	12	13	14	15	16	17
平均M歯数	H3	0	0.00	0	0.00	0.01	0.01	0.01	0.02	0.03	0.10	0.12	0.12
	H4	0	0.00	0.00	0.00	0.00	0.01	0.03	0.03	0.04	0.10	0.10	0.11
	H5	0	0	0.00	0.00	0.00	0.01	0.02	0.03	0.03	0.11	0.10	0.11
	H6	0	0	0.00	0.00	0.00	0.00	0.02	0.03	0.06	0.09	0.11	0.10
	H7	0	0	0.00	0.01	0.00	0.01	0.05	0.03	0.04	0.08	0.08	0.11
	H8	0	0.00	0.00	0.00	0.01	0.01	0.01	0.04	0.04	0.08	0.09	0.08
	H9	0	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.04	0.07	0.10	0.10
	H10	0	0.00	0	0.00	0.01	0.01	0.01	0.01	0.03	0.07	0.06	0.11
	H11	0	0.00	0.00	0	0.00	0.00	0.02	0.02	0.04	0.04	0.08	0.05
	H12	0	0	0	0.00	0.00	0.00	0.01	0.02	0.03	0.06	0.07	0.07
	H13	0	0	0	0.00	0.00	0.00	0.02	0.02	0.05	0.05	0.10	0.06
	H14	0.00	0.00	0	0.00	0.01	0.01	0.02	0.02	0.02	0.04	0.05	0.06
	H15	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.03	0.04	0.06	0.10
	H16	0	0	0.00	0.00	0.00	0.01	0.02	0.03	0.02	0.05	0.06	0.08
	H17	0	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.06	0.06	0.08
	H18	0	0.00	0	0.00	0.00	0.00	0.01	0.02	0.03	0.06	0.06	0.08
	H19	0	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.03	0.05	0.05	0.08
	H20	0	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.03	0.03	0.05	0.06
	H21	0	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.06	0.05	0.07
	H22	0	0	0	0.00	0.00	0.00	0.00	0.01	0.01	0.04	0.06	0.07
	H23	0	0	0.00	0	0.00	0.00	0.00	0.01	0.01	0.06	0.06	0.09
	H24	0.00	0	0.00	0.00	0	0.00	0.01	0.01	0.01	0.05	0.05	0.05
	H25	0	0	0	0.00	0	0.00	0.00	0.01	0.02	0.05	0.04	0.06
	H26	0	0.00	0	0.00	0.00	0.00	0.01	0.01	0.02	0.04	0.03	0.04
	H27	0	0	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.03	0.04	0.05
	H28	0	0.00	0.00	0	0.00	0	0.01	0.01	0.01	0.02	0.02	0.05
	H29	0	0	0	0	0	0	0.01	0.01	0.02	0.04	0.04	0.04
	H30	0	0	0	0	0	0.00	0.00	0.00	0.01	0.03	0.04	0.03
	R1	0	0.00	0	0	0	0.00	0	0.00	0.00	0.02	0.02	0.03
	R2	0	0	0	0	0	0	0.00	0	0.00	0.03	0.03	0.04
	R3	0	0	0	0	0	0	0.00	0	0.00	0.03	0.05	0.06
	R4	0	0	0	0	0	0.00	0.00	0.00	0.00	0.03	0.04	0.06
R5	0	0	0	0	0	0.00	0.00	0.00	0.00	0.05	0.03	0.04	
健全歯率	H3	90.17	87.56	84.70	84.72	84.46	85.08	81.99	79.30	75.99	73.75	70.69	66.78
	H4	92.00	86.73	85.78	84.05	84.59	83.89	82.64	80.45	76.84	73.13	70.85	67.33
	H5	91.79	88.46	84.59	84.55	84.63	83.98	83.91	81.25	79.13	72.72	69.52	68.22
	H6	92.87	89.03	85.82	85.07	85.55	84.77	83.50	79.11	78.16	72.79	70.86	67.82
	H7	93.38	91.00	88.18	87.31	86.91	86.62	84.23	81.02	79.81	77.63	75.27	72.98
	H8	94.63	91.86	88.92	87.86	87.43	86.94	84.97	82.81	79.24	77.32	73.24	71.07
	H9	94.69	93.31	89.33	87.98	87.68	86.90	86.09	83.17	79.94	76.88	74.57	71.15
	H10	95.98	94.19	91.28	89.93	89.44	88.75	86.68	85.47	82.26	79.12	74.70	73.04
	H11	97.03	94.06	93.08	91.45	90.55	90.35	87.97	84.52	83.05	80.74	76.66	73.66
	H12	96.68	94.69	92.84	91.66	90.75	90.46	90.00	86.61	82.74	82.56	80.89	76.36
	H13	96.76	95.55	93.05	92.81	92.28	91.12	90.58	89.49	86.78	83.72	81.18	78.71
	H14	97.29	95.42	93.84	92.51	92.16	91.72	91.07	89.19	87.74	86.49	83.14	79.87
	H15	97.94	96.53	94.78	93.72	93.41	91.71	91.71	90.38	88.36	87.02	85.16	81.52
	H16	98.26	97.36	95.44	94.28	94.26	92.85	91.60	90.55	89.53	88.11	85.26	84.16
	H17	97.43	97.09	96.60	94.34	94.00	93.19	92.80	91.54	90.30	89.25	86.70	84.88
	H18	97.34	96.81	96.30	94.66	94.56	93.68	93.42	92.21	90.34	89.38	87.53	84.26
	H19	97.68	96.68	95.89	95.32	94.07	93.77	93.93	92.31	90.53	90.91	89.32	87.45
	H20	98.45	97.67	96.44	95.71	95.63	94.52	94.58	93.70	92.69	91.56	89.73	88.47
	H21	98.12	97.28	96.80	95.95	95.63	94.81	94.82	94.13	93.04	91.93	90.69	88.29
	H22	98.30	97.15	96.71	95.77	96.17	94.75	95.87	94.36	93.36	92.94	91.34	89.44
	H23	98.46	98.22	96.86	96.71	96.47	95.53	95.23	94.83	93.26	93.01	91.46	89.88
	H24	98.67	97.49	97.19	96.45	96.67	95.78	95.99	94.87	94.83	92.66	91.84	90.49
	H25	98.38	98.00	96.80	96.91	96.72	96.30	96.14	95.59	94.50	92.91	91.21	90.14
	H26	99.03	98.14	97.92	97.07	96.95	96.73	96.73	95.46	94.48	93.98	91.96	90.40
	H27	98.73	98.88	98.28	97.49	96.70	97.01	96.72	95.98	95.05	94.52	93.07	91.61
	H28	99.04	98.48	97.91	97.74	97.66	97.20	96.04	95.92	95.50	94.69	93.30	91.91
	H29	98.19	98.75	97.79	98.07	97.54	97.40	96.51	95.97	95.31	93.83	92.95	91.68
	H30	98.77	98.71	98.34	97.84	97.87	97.77	97.40	96.06	95.32	93.62	92.32	91.56
	R1	98.56	98.66	98.07	98.20	98.03	97.93	97.16	96.51	95.22	93.88	92.69	92.14
	R2	98.95	98.97	98.50	98.34	98.55	98.13	97.41	96.31	95.69	95.58	94.43	92.87
	R3	98.61	98.53	98.29	98.12	98.60	98.26	97.42	96.73	96.10	95.63	94.11	93.22
	R4	99.57	99.22	99.24	98.80	98.30	98.22	97.62	97.17	96.62	96.22	95.31	93.67
R5	99.36	99.28	99.06	99.01	98.54	98.35	97.73	96.86	96.02	95.96	95.14	94.59	
D歯率	H3	5.45	5.92	5.63	4.45	4.49	4.25	4.61	5.83	6.07	6.84	6.63	6.78
	H4	4.63	5.76	4.91	4.49	3.99	4.35	4.61	4.85	6.06	7.00	6.84	7.47
	H5	4.62	4.87	5.13	4.37	3.72	4.21	3.85	5.29	5.14	7.17	7.21	6.59
	H6	4.06	4.74	4.91	3.97	4.39	3.93	3.96	4.82	5.68	6.39	6.80	7.18
	H7	3.34	3.88	4.41	3.68	3.79	3.78	4.14	5.46	5.22	4.84	5.48	4.91
	H8	2.60	3.90	3.99	3.70	3.29	3.34	4.38	4.86	5.44	4.78	5.44	5.22
	H9	2.45	2.65	3.70	3.29	3.11	3.01	4.12	4.69	5.71	4.84	5.31	5.04
	H10	1.90	2.52	3.41	3.51	2.88	3.06	3.47	4.53	4.61	5.11	5.44	5.18
	H11	1.32	2.77	3.00	3.04	3.22	2.87	3.75	4.34	4.50	4.06	5.40	4.85
	H12	1.50	2.68	3.54	3.30	3.44	3.27	2.80	3.96	4.73	3.62	3.29	4.31
	H13	1.72	2.08	2.47	2.76	2.70	2.87	3.10	3.60	4.01	3.33	3.80	3.81
	H14	1.44	2.35	3.21	3.13	3.53	2.91	3.19	4.23	3.88	2.68	2.86	3.52
	H15	1.05	1.64	2.64	2.69	2.23	3.20	2.66	2.97	3.91	2.54	2.72	3.09
	H16	0.91	1.40	1.96	2.62	2.32	2.57	2.89	3.01	3.56	2.50	2.60	2.81
	H17	1.39	1.26	1.75	2.31	2.31	2.57	3.07	3.02	3.30	2.97	3.17	2.88
	H18	1.18	1.74	1.87	2.47	2.53	2.66	2.57	3.32	3.46	2.73	2.87	3.55
	H19	1.21	1.48	1.83	2.23	2.66	2.53	2.52	3.63	3.71	2.53	2.64	3.01
	H20	0.77	1.16	1.61	1.68	1.54	1.87	1.88	2.42	2.69	2.02	2.53	2.66
	H21	0.98	1.39	1.38	1.58	1.85	1.69	1.95	1.88	2.30	2.11	2.30	2.37
	H22	0.84	1.23	1.33	1.78	1.42	1.94	1.46	2.01	2.04	1.81	1.92	2.20
	H23	0.62	0.85	1.46	1.35	1.38	1.40	1.59	1.87	2.28	2.10	2.33	2.72
	H24	0.49	1.02	1.18	1.21	1.11	1.38	1.39	1.89	1.63	2.20	2.29	2.59
	H25	0.62	0.80	1.21	1.07	1.04	1.12	1.72	1.50	1.83	1.90	2.21	2.53
	H26	0.36	0.76	0.76	0.97	1.07	1.16	1.26	2.05	1.76	1.54	1.91	2.20
	H27	0.56	0.51	0.64	0.76	0.95	0.93	1.21	1.65	1.80	1.25	1.64	2.06
	H28	0.38	0.61	0.68	0.85	0.73	0.83	1.47	1.30	1.50	1.02	1.28	1.57
	H29	0.76	0.40	0.70	0.56	0.84	0.81	1.24	1.20	1.60	1.76	1.69	1.75
	H30	0.75	0.44	0.51	0.60	0.61	0.51	0.87	1.36	1.55	1.43	1.66	1.79
	R1	0.54	0.61	0.61	0.52	0.66	0.58	0.89	1.18	1.34	1.76	2.17	1.95
	R2	0.20	0.42	0.34	0.41	0.42	0.46	0.75	1.21	1.53	1.66	1.71	2.35
	R3	0.33	0.20	0.39	0.49	0.36	0.33	0.85	1.23	1.25	1.33	1.74	2.03
	R4	0.14	0.33	0.19	0.25	0.41	0.28	0.63	0.93	1.13	1.15	1.47	1.94
R5	0.19	0.19	0.28	0.28	0.43	0.37	0.67	0.81	1.38	1.32	1.50	1.47	

項 目	年 度	小 1 6	小 2 7	小 3 8	小 4 9	小 5 10	小 6 11	中 1 12	中 2 13	中 3 14	高 1 15	高 2 16	高 3 17
F歯率	H3	4.38	6.51	9.67	10.83	11.01	10.64	13.35	14.79	17.85	19.04	22.23	26.01
	H4	3.37	7.49	9.30	11.45	11.40	11.72	12.63	14.60	16.95	19.52	21.93	24.79
	H5	3.59	6.67	10.27	11.07	11.64	11.78	12.16	13.36	15.63	19.71	22.91	24.78
	H6	3.07	6.23	9.27	10.95	10.04	11.29	12.47	15.97	15.95	20.51	21.96	24.64
	H7	3.28	5.13	7.40	8.99	9.28	9.57	11.45	13.43	14.83	17.26	18.96	21.73
	H8	2.77	4.24	7.08	8.43	9.25	9.67	10.61	12.19	15.19	17.62	21.01	23.43
	H9	2.86	4.03	6.95	8.72	9.19	10.04	9.74	12.07	14.19	18.00	19.75	23.46
	H10	2.11	3.28	5.31	6.55	7.65	8.15	9.83	9.95	13.04	15.53	19.64	21.39
	H11	1.65	3.16	3.92	5.50	6.23	6.76	8.21	11.05	12.30	15.04	17.65	21.31
	H12	1.82	2.63	3.62	5.04	5.79	6.25	7.17	9.35	12.42	13.59	15.58	19.09
	H13	1.53	2.37	4.48	4.40	5.02	6.00	6.24	6.83	9.03	12.77	14.67	17.26
	H14	1.26	2.22	2.95	4.34	4.28	5.35	5.65	6.48	8.30	10.69	13.81	16.39
	H15	0.99	1.82	2.57	3.57	4.34	5.07	5.57	6.56	7.63	10.28	11.92	15.02
	H16	0.83	1.24	2.58	3.10	3.40	4.55	5.44	6.34	6.82	9.20	11.91	12.73
	H17	1.17	1.64	1.64	3.33	3.68	4.23	4.08	5.37	6.30	7.56	9.91	11.96
	H18	1.48	1.44	1.83	2.87	2.90	3.64	3.98	4.40	6.10	7.68	9.37	11.92
	H19	1.11	1.84	2.28	2.45	3.25	3.66	3.52	4.03	5.66	6.37	7.86	9.24
	H20	0.79	1.16	1.96	2.59	2.82	3.59	3.52	3.85	4.52	6.30	7.58	8.65
	H21	0.90	1.33	1.78	2.47	2.50	3.49	3.22	3.95	4.63	5.75	6.83	9.08
	H22	0.86	1.62	1.95	2.45	2.40	3.30	2.67	3.61	4.56	5.11	6.52	8.10
	H23	0.92	0.92	1.67	1.94	2.14	3.07	3.17	3.27	4.44	4.67	6.00	7.08
	H24	0.81	1.50	1.62	2.33	2.21	2.84	2.59	3.20	3.49	4.97	5.67	6.74
	H25	1.00	1.21	1.99	2.02	2.24	2.57	2.12	2.89	3.61	5.01	6.44	7.12
	H26	0.61	1.08	1.32	1.96	1.97	2.10	1.96	2.47	3.71	4.35	6.01	7.28
	H27	0.70	0.61	1.07	1.74	2.35	2.05	2.04	2.34	3.13	4.13	5.15	6.16
	H28	0.57	0.90	1.40	1.41	1.61	1.97	2.45	2.74	2.96	4.22	5.34	6.35
	H29	1.04	0.84	1.51	1.37	1.62	1.79	2.22	2.80	3.03	4.27	5.22	6.44
	H30	0.48	0.85	1.15	1.56	1.52	1.71	1.72	2.56	3.11	4.84	5.87	6.55
	R1	0.90	0.73	1.31	1.28	1.31	1.49	1.96	2.31	3.43	4.28	5.05	5.79
	R2	0.85	0.62	1.16	1.25	1.03	1.41	1.84	2.48	2.78	2.66	3.75	4.65
R3	1.07	1.26	1.32	1.39	1.03	1.41	1.73	2.03	2.65	2.94	3.96	4.54	
R4	0.29	0.44	0.57	0.95	1.29	1.50	1.74	1.89	2.24	2.52	3.08	4.19	
R5	0.45	0.53	0.66	0.71	1.03	1.28	1.60	2.32	2.59	2.53	3.24	3.79	
M歯率	H3	0.00	0.01	0.00	0.01	0.04	0.03	0.05	0.09	0.09	0.37	0.45	0.42
	H4	0.00	0.01	0.01	0.01	0.02	0.03	0.12	0.10	0.14	0.35	0.37	0.40
	H5	0.00	0.00	0.01	0.00	0.01	0.03	0.07	0.10	0.10	0.40	0.37	0.41
	H6	0.00	0.00	0.01	0.02	0.02	0.01	0.08	0.10	0.21	0.31	0.38	0.36
	H7	0.00	0.00	0.01	0.03	0.02	0.03	0.18	0.09	0.14	0.27	0.29	0.38
	H8	0.00	0.00	0.01	0.02	0.03	0.04	0.04	0.13	0.14	0.28	0.31	0.28
	H9	0.00	0.01	0.01	0.02	0.02	0.05	0.05	0.07	0.17	0.27	0.37	0.35
	H10	0.00	0.02	0.00	0.01	0.03	0.04	0.02	0.05	0.09	0.24	0.23	0.40
	H11	0.00	0.00	0.00	0.00	0.00	0.01	0.07	0.09	0.15	0.16	0.29	0.17
	H12	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.08	0.10	0.23	0.25	0.24
	H13	0.00	0.00	0.00	0.02	0.01	0.01	0.08	0.08	0.18	0.18	0.35	0.22
	H14	0.01	0.01	0.00	0.02	0.04	0.02	0.09	0.09	0.08	0.14	0.18	0.22
	H15	0.02	0.01	0.01	0.02	0.01	0.02	0.06	0.09	0.10	0.15	0.20	0.37
	H16	0.00	0.00	0.01	0.01	0.02	0.03	0.07	0.11	0.09	0.19	0.22	0.30
	H17	0.00	0.01	0.01	0.01	0.01	0.01	0.06	0.07	0.11	0.22	0.22	0.27
	H18	0.00	0.00	0.00	0.00	0.01	0.01	0.04	0.07	0.10	0.21	0.23	0.27
	H19	0.00	0.00	0.01	0.01	0.02	0.04	0.03	0.04	0.09	0.19	0.17	0.29
	H20	0.00	0.00	0.00	0.01	0.01	0.02	0.02	0.02	0.10	0.12	0.16	0.22
	H21	0.00	0.00	0.04	0.00	0.02	0.01	0.01	0.04	0.04	0.21	0.18	0.26
	H22	0.00	0.00	0.00	0.01	0.00	0.02	0.01	0.02	0.04	0.14	0.22	0.26
	H23	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.02	0.03	0.22	0.21	0.33
	H24	0.03	0.00	0.01	0.00	0.00	0.01	0.03	0.04	0.05	0.17	0.19	0.18
	H25	0.00	0.00	0.00	0.01	0.00	0.01	0.02	0.03	0.06	0.18	0.13	0.21
	H26	0.00	0.02	0.00	0.00	0.00	0.02	0.05	0.02	0.05	0.13	0.11	0.13
	H27	0.00	0.00	0.00	0.01	0.00	0.01	0.04	0.02	0.03	0.10	0.14	0.17
	H28	0.00	0.01	0.01	0.00	0.00	0.00	0.04	0.04	0.03	0.07	0.07	0.17
	H29	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.06	0.14	0.15	0.13
	H30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.11	0.15	0.10
	R1	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.09	0.09	0.12
	R2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.13
R3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.19	0.21	
R4	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.11	0.14	0.20	
R5	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.19	0.12	0.15	
CO保有者率	H7	11.94	17.46	19.95	15.05	11.99	15.76	18.33	28.75	19.34	9.57	9.23	9.77
	H8	12.02	16.17	18.44	15.90	15.05	18.48	16.87	19.09	17.91	14.71	14.08	13.34
	H9	9.71	14.43	16.73	17.93	16.11	19.27	18.01	20.24	23.10	15.91	15.29	15.35
	H10	9.24	15.69	16.83	21.92	18.68	20.95	22.72	25.88	25.46	19.15	16.76	17.12
	H11	7.93	15.54	18.88	19.15	20.85	18.80	27.23	32.72	24.92	15.59	17.08	16.73
	H12	12.56	17.29	19.31	24.95	21.37	19.71	21.32	28.40	30.29	17.88	16.82	14.84
	H13	10.81	19.56	21.72	21.76	22.75	21.06	26.82	27.66	29.59	18.85	17.92	16.41
	H14	8.60	15.00	21.42	25.70	25.62	27.65	29.93	29.28	36.21	23.24	24.41	26.33
	H15	9.96	14.54	18.99	21.36	23.05	27.13	22.10	24.81	33.20	24.85	31.21	26.25
	H16	9.91	17.68	20.63	19.19	22.10	25.83	27.96	29.97	36.87	26.16	27.46	30.19
	H17	10.65	15.54	19.02	23.31	24.94	27.06	29.95	34.13	32.54	28.33	29.68	29.85
	H18	7.22	12.76	16.31	19.67	21.06	25.69	27.73	26.97	32.19	24.42	28.87	28.82
	H19	5.61	13.18	15.05	15.73	19.15	27.60	22.60	24.22	25.42	21.76	20.30	19.79
	H20	6.52	10.33	11.97	20.71	21.32	27.50	22.29	24.78	27.38	24.34	27.31	25.75
	H21	6.52	11.08	16.28	22.20	22.20	25.46	21.25	27.27	31.03	27.32	24.45	28.94
	H22	5.26	12.06	14.84	15.91	20.32	24.03	22.66	27.60	29.29	27.47	28.38	30.10
	H23	5.78	12.17	15.34	16.54	17.55	21.14	20.09	25.59	28.84	30.73	29.58	32.68
	H24	3.36	9.39	14.19	17.91	19.01	21.82	19.57	21.90	26.14	24.92	25.83	27.34
	H25	4.84	9.68	12.82	15.08	19.44	21.11	19.27	21.00	23.23	28.84	34.70	37.21
	H26	5.50	10.25	14.34	16.05	16.83	23.92	17.29	23.23	24.17	27.88	29.62	33.15
	H27	5.56	10.03	13.90	18.23	15.88	20.22	21.23	23.56	28.24	27.72	27.94	29.31
H28	4.00	8.61	13.49	16.02	16.70	20.26	20.38	26.43	26.35	26.30	29.21	30.95	
H29	2.83	9.26	11.21	14.64	16.74	20.92	17.33	19.92	24.54	24.65	26.64	27.89	
H30	5.51	9.14	12.58	14.49	15.45	19.96	20.82	22.03	28.22	24.13	25.79	26.56	
R1	3.97	8.78	11.72	13.80	13.82	16.72	23.56	24.93	26.72	22.57	19.59	25.09	
R2	3.00	7.07	10.59	12.75	12.53	15.68	19.09	21.77	23.48	19.67	24.53	16.98	
R3	3.67	7.67	10.32	11.78	12.45	14.72	18.42	22.46	23.58	14.82	18.37	19.06	
R4	3.63	7.53	9.68	10.43	11.43	15.35	16.87	20.21	21.39	17.39	18.07	21.31	
R5	3.81	6.83	8.57	8.64	11.01	11.80	17.57	17.47	22.35	16.51	16.41	17.33	

項目	年度	小1	小2	小3	小4	小5	小6	中1	中2	中3	高1	高2	高3
		6	7	8	9	10	11	12	13	14	15	16	17
G0要観察者率	H7	22.05	25.57	31.31	26.35	29.26	30.06	28.84	35.86	31.84	24.33	26.27	26.63
	H8	15.41	26.34	29.66	31.00	27.14	31.53	35.31	33.87	33.23	29.93	30.64	31.92
	H9	18.88	18.93	26.04	23.89	25.86	27.75	27.82	23.96	26.07	29.90	28.18	30.75
	H10	19.15	24.90	25.92	31.64	30.11	29.25	24.79	22.12	26.45	28.99	31.00	26.71
	H11	11.98	20.30	25.12	26.68	29.56	27.62	28.20	32.11	28.27	25.37	29.12	32.12
	H12	15.25	20.03	27.15	27.22	26.79	26.12	25.92	23.42	23.39	29.48	28.40	29.96
	H13	13.94	21.52	26.42	22.90	27.25	28.15	27.73	33.37	25.07	32.72	30.58	28.52
	H14	16.57	22.04	22.07	24.43	29.05	33.61	39.08	35.46	35.08	25.37	28.18	27.01
	H15	12.15	18.37	25.40	27.56	29.57	33.07	28.01	29.29	34.94	26.89	26.56	24.90
	H16	14.46	22.95	19.84	23.75	22.64	26.28	37.73	32.98	34.90	27.33	24.57	27.60
	H17	13.31	22.27	24.35	23.98	24.47	28.87	31.58	34.01	33.44	24.01	23.78	23.00
	H18	14.49	20.99	21.68	22.28	26.24	30.57	30.29	31.21	32.23	25.97	26.29	26.05
	H19	9.56	21.21	21.00	24.04	25.12	27.76	30.43	28.98	29.15	25.95	22.67	25.60
	H20	9.02	16.76	23.26	24.60	26.44	28.19	27.46	31.03	29.43	31.83	30.12	30.51
	H21	6.47	12.72	17.53	21.68	21.30	19.80	21.90	26.59	26.69	19.65	19.50	22.60
	H22	4.29	10.28	10.90	20.54	19.67	21.11	21.50	26.56	24.60	25.18	22.94	25.59
	H23	4.56	9.85	11.99	13.06	16.87	17.12	20.40	25.75	26.36	25.22	24.18	23.47
	H24	6.76	10.44	12.99	17.61	17.83	19.96	21.21	25.78	25.02	22.96	26.40	25.97
	H25	4.97	14.15	14.54	18.11	20.60	19.65	21.48	23.35	19.55	23.76	29.91	25.53
	H26	5.58	7.97	12.88	14.50	17.74	19.04	18.68	22.77	22.95	22.54	24.24	22.80
	H27	4.35	7.09	9.88	11.66	14.27	15.41	24.23	22.01	23.17	20.75	23.00	24.56
	H28	4.35	6.45	11.34	14.03	16.78	15.27	25.53	20.98	21.05	19.31	22.85	25.02
	H29	4.28	7.73	11.78	14.22	13.09	13.78	22.90	20.96	18.87	18.69	19.89	19.14
	H30	3.56	9.88	13.59	16.48	16.60	13.73	16.26	17.28	16.93	18.82	19.63	18.62
	R1	3.97	8.39	11.56	12.17	13.92	13.33	20.07	20.98	22.78	21.52	23.01	20.31
	R2	4.12	9.48	9.93	15.05	13.86	12.38	17.59	20.00	17.19	24.15	22.77	20.11
	R3	4.54	7.11	11.86	13.01	12.61	12.63	16.70	20.62	21.23	18.42	18.85	16.13
	R4	3.42	8.56	13.14	14.61	17.49	16.34	17.84	22.65	19.93	20.39	16.02	18.56
	R5	6.35	6.18	11.82	11.66	15.82	14.86	15.91	19.68	22.86	21.27	19.37	16.13
	G要治療者率	H7	1.69	2.48	5.68	4.29	4.83	6.68	8.06	12.88	11.13	8.17	8.35
H8		2.09	6.13	6.92	6.72	6.52	6.58	9.52	9.51	10.77	14.10	18.21	12.99
H9		3.08	5.34	5.48	4.98	6.41	6.17	13.14	9.51	10.21	9.12	9.77	9.43
H10		1.98	5.58	5.08	4.14	4.76	7.04	9.75	10.12	9.38	11.77	11.47	10.17
H11		1.73	3.64	4.87	4.08	8.32	5.40	9.12	10.12	12.89	12.16	10.64	9.68
H12		2.51	4.03	7.99	6.52	8.73	6.41	17.91	19.44	16.09	10.59	8.81	10.11
H13		1.70	3.07	3.33	4.27	4.65	5.13	9.96	8.12	10.59	10.46	10.51	10.88
H14		1.77	3.21	3.88	4.99	7.00	6.47	6.73	6.51	9.09	7.82	9.11	9.49
H15		2.46	3.26	3.74	4.97	5.25	5.82	6.29	7.76	9.37	6.82	7.22	9.18
H16		2.25	5.06	2.41	4.52	5.41	7.53	9.44	7.34	8.52	9.70	8.76	10.23
H17		1.66	3.89	3.95	6.18	7.06	6.99	5.76	5.98	7.39	10.33	12.63	10.27
H18		2.25	3.38	4.03	5.39	5.39	6.62	6.02	4.53	6.29	8.27	9.27	8.87
H19		1.04	2.81	2.91	4.95	6.38	7.28	4.70	5.41	7.68	7.91	7.17	10.14
H20		1.36	2.49	2.62	5.22	6.62	6.01	3.35	7.41	6.89	6.85	8.65	8.23
H21		1.57	1.98	2.67	4.67	3.26	5.86	3.94	5.07	7.15	5.51	5.42	4.07
H22		1.02	1.57	2.47	3.18	5.28	3.35	3.24	4.01	3.26	4.47	5.97	5.52
H23		0.95	1.07	1.69	3.36	4.51	4.10	2.46	3.42	3.46	4.74	5.80	7.55
H24		0.81	1.27	1.93	2.95	3.78	4.53	2.86	4.20	3.59	4.65	5.38	5.54
H25		0.26	1.27	1.24	3.20	3.48	3.51	2.46	2.83	3.15	5.08	5.01	5.64
H26		1.00	0.99	1.20	1.51	2.07	2.42	2.28	3.27	2.44	8.47	7.94	6.44
H27		0.39	0.99	0.73	1.86	2.33	3.29	3.34	2.36	3.90	6.17	5.70	4.45
H28		0.17	0.39	0.86	1.52	2.57	2.83	2.42	3.14	2.30	4.15	5.90	5.63
H29		0.44	0.51	1.14	1.60	2.05	3.98	1.90	1.73	1.84	9.27	9.08	8.05
H30		0.13	0.34	0.91	1.04	2.08	1.63	0.95	2.30	2.09	7.94	8.06	7.43
R1		0.13	0.56	1.49	1.52	2.60	2.59	1.99	2.01	1.79	8.09	7.24	6.81
R2		0.00	0.66	0.56	0.99	1.27	1.41	1.94	2.65	2.22	3.89	3.29	8.32
R3		0.07	0.78	1.32	1.28	1.86	2.20	1.67	1.98	2.28	3.39	3.49	2.50
R4		0.21	0.91	1.47	1.74	1.70	2.20	1.47	2.16	2.56	3.11	2.99	3.25
R5		0.28	0.65	1.42	2.15	3.63	1.84	1.89	1.54	2.98	2.48	1.76	1.71
不正咬合者率 (顎関節、 歯列・咬合 不正者率)		H7	3.34	4.87	6.00	6.71	6.93	7.72	11.75	12.74	12.60	5.21	7.78
	H8	3.22	4.08	4.73	4.63	6.84	8.19	8.49	8.83	8.90	6.46	8.05	6.04
	H9	4.04	6.13	5.10	5.47	5.79	6.85	10.70	7.01	7.46	7.59	7.21	7.65
	H10	1.81	3.49	3.14	3.30	3.76	3.97	9.59	7.69	7.47	7.77	6.49	7.57
	H11	1.37	2.95	3.19	3.04	3.12	3.13	3.99	4.75	5.59	6.29	8.79	9.11
	H12	2.46	3.07	3.23	3.23	3.92	3.49	5.71	6.30	7.44	8.04	5.99	6.32
	H13	2.20	1.56	2.59	3.32	3.62	3.93	7.57	5.36	6.47	6.02	6.36	6.57
	H14	2.91	3.05	3.66	4.20	3.68	4.35	7.45	5.17	6.88	4.32	5.74	6.16
	H15	1.71	2.47	2.59	2.89	3.99	3.95	6.25	5.25	6.86	5.51	3.61	5.47
	H16	1.36	1.73	1.80	2.60	3.13	2.95	8.00	7.13	7.62	5.80	5.87	5.68
	H17	2.12	1.78	2.69	3.34	4.24	3.37	6.26	7.22	6.73	6.80	5.90	6.75
	H18	1.54	1.91	2.76	1.73	2.94	4.16	3.50	4.12	4.68	5.26	3.79	4.67
	H19	1.21	2.45	3.28	3.12	3.25	4.01	1.74	1.51	3.15	4.18	4.02	3.19
	H20	2.49	3.61	2.86	4.17	3.84	4.10	3.56	4.32	3.57	3.64	4.48	4.68
	H21	3.50	5.00	4.08	4.96	5.42	5.18	9.06	13.63	10.26	3.59	5.11	4.72
	H22	2.74	3.31	3.56	4.23	4.40	3.27	3.66	3.81	6.03	4.02	4.27	3.79
	H23	2.08	3.35	3.90	4.62	3.82	4.10	3.76	5.86	6.02	3.30	3.33	3.21
	H24	1.97	2.11	2.40	3.38	3.15	3.81	6.85	6.24	6.07	3.14	3.26	3.28
	H25	2.20	3.24	4.02	3.49	4.76	4.35	2.91	3.47	4.54	3.69	2.62	4.14
	H26	1.99	3.83	3.20	5.11	4.32	4.19	5.03	3.77	4.11	5.34	5.33	5.67
	H27	3.17	4.02	4.01	4.21	5.81	4.33	6.43	5.50	5.03	5.06	4.14	4.60
	H28	1.65	3.16	5.00	4.60	4.61	4.72	8.09	6.46	6.12	3.91	3.49	4.28
	H29	1.70	3.50	3.98	4.10	3.39	4.21	5.70	4.44	4.54	5.91	6.89	7.53
	H30	1.68	2.33	2.35	3.44	3.02	3.31	6.82	5.83	6.20	4.82	5.46	5.52
	R1	1.52	2.52	3.98	2.61	3.74	4.14	5.38	4.81	5.66	4.99	4.64	3.90
	R2	2.44	3.13	2.97	3.50	3.91	4.11	3.71	2.99	4.15	2.93	2.58	3.18
	R3	2.02	3.08	3.19	2.36	2.93	3.48	7.78	6.78	6.29	3.07	4.24	3.19
	R4	0.75	2.13	3.23	2.72	3.51	3.82	4.23	4.60	3.88	3.42	2.99	3.41
	R5	2.89	4.12	5.14	5.50	3.74	5.29	3.50	4.41	5.22	3.52	3.07	2.57